

Robust and two motors professional vacuum cleaner

The VIPER LSU 275 is a wet/dry professional vacuum cleaner, it is easy to use, robust and has optimal suction power.

LSU product family has a modular design with different tank capacities and motor quantities, tank capacity for LSU 275 is 75 liters, it has two motors. You can choose stainless steel tank or translucent plastic tank. You can easily see whether the tank is full of water or not if the tank is made of translucent plastic. It has a drain hose mounted, you can easily empty the tank without taking off the motor. It has large rear wheels and rotating front wheels, make it light and easy to maneuver. As standard, the machine is delivered with the following accessories: crevice tool, round dusting brush, wet pickup tool and dry pick-up tool.

PRODUCT FACTS

- Easy to use and service
- Optimal suction power
- Robust chassis
- Drain hose
- Large rear wheels and rotating front wheels
- Cable storage & Accessory storage
- For wet or dry vacuum application
- EU/UK version available



Nilfisk-Advance A/S Sognevei 25, 2605 Brøndby Tel: +45 43238100 - Fax: +45 43437700 **FSMaster**

Model	LSU275	LSU275	LSU275	LSU275
Ref. no	50000134	50000135	50000136	50000137
Description	LSU275-EU	LSU275P-EU	LSU275-UK	LSU275P-UK
PRODUCT FEATURES				
EASY-TO-CARRY HANDLE				
RECOVERY EMPTYING HOSES		=	•	•
INCL. ACCESSORIES				
VA20803 DUSTING Ø 38 MM	•			
VA20806 CREVICE TOOL Ø 38 MM				
VA80400 SUCTION TUBE ASSEMBLY				
VA80119 55L ABSORBING DUST FILTER	•	•	•	
Technical specifications	LSU275	LSU275	LSU275	LSU275
AIRFLOW (L/MIN)	3115	3115	3115	3115
CABLE LENGTH (M)	8/orange	8/orange	8/orange	8/orange
VACUUM MOTOR TYPE	2-stage	2-stage	2-stage	2-stage
VOLTAGE (V)	220-240	220-240	220-240	220-240
FREQUENCY (HZ)	50-60	50-60	50-60	50-60
RATED POWER (W)	2000	2000	2000	2000
VACUUM (MMH2O)	2005	2005	2005	2005
SOUND PRESSURE LEVEL (dB(A))	78	78	78	78
TANK CAPACITY (L)	75	75	75	75
LENGTH X WIDTH X HEIGHT (CM)	63.4x58.6x98.8	63.4x58.6x98.8	63.4x58.6x98.8	63.4x58.6x98.8
WEIGHT (KG)	25	25	25	25



Nilfisk-Advance A/S Sognevej 25, 2605 Brøndby Tel: +45 43238100 - Fax: +45 43437700 **FSMaster**

Print created: 09-09-2012 12:04 2 / 3

Accessori	es	Ref. no	Min. required	LSU275	
	Round brush nozzle	,	7		
	DUSTING Ø 38 MM	VA20803	1	•	
	Crevice nozzle				
in the second	CREVICE TOOL Ø 38 MM	VA20806	1	•	
	Tube				
/	SUCTION TUBE ASSEMBLY	VA80400	1	•	
	Filters				
	55L ABSORBING DUST FILTER	VA80119	1	•	



Nilfisk-Advance A/S Sognevej 25, 2605 Brøndby Tel: +45 43238100 - Fax: +45 43437700 **FSMaster**

Print created: 09-09-2012 12:04 3 / 3